

Report Contents

- 1. Coriell Personalized Medicine Collaborative Research Study Report. This report includes all data included in the clinical report as well as supplemental interpretations and educational material. This research report is based on Questionnaires Finalized on 08/01/2010**
- 2. Clinical Report. This report was generated and approved by Coriell's CLIA certified genotyping laboratory.**



Sample Results

Coriell Institute for Medical Research
403 Haddon Avenue
Camden, New Jersey 08103 USA
Phone: 888-580-8028
Fax: 856-964-0254
cpmc.coriell.org

CPMC Research Study Report

Name:	NATALIE DEMO	Gender:	Female
Date of Birth:		Date Collected:	11-30-2016
Coriell ID:	DEMONAT	Date Received:	11-30-2016
Lab Accessioning Number:	DEMONAT	Date of Report:	10-08-2014
Ordering Physician:	Dr. Edward Viner		

Risk of Developing Asthma Based on:

- **CPMC Asthma Variant 1 (rs1837253)**
- **Family History**
- **Body Mass Index**
- **Smoking Status**

The CPMC is a research study investigating the utility of personalized genomic information on health and health behavior. Most common health conditions are caused by an interaction between multiple genetic variants and non-genetic risk factors such as lifestyle and environment. The genetic variant risk in this report is based on one genetic variant, but does not represent your complete genetic risk for asthma. These results were generated as part of this research study in a CLIA-approved laboratory.

More information about the study, how to interpret CPMC results, and how we calculate risk is available on our website <http://cpmc.coriell.org> or by contacting our genetic counselor. Participants may schedule an appointment with our board-certified genetic counselor through the web portal by clicking on "request an appointment". Our genetic counselor also can be reached by email at cpmcgc@coriell.org or by phone at 888-580-8028.


This research report includes all data included in the clinical report as well as supplemental interpretations and educational material. Please see the report that follows for the official clinical report.

Genetic Variant Result, Details and Population Data

Asthma

Risk factors may be related to each other and risk estimates cannot be combined.

This graph provides a summary of the relative risks for one genetic variant, family history, body mass index, and smoking status.



You reported you are an African American woman, between 35 and 64 years old; an estimated 12 in 100 African American women in your age group have asthma.

Chart Color	Relative Risk Due To:	Your Risk	Minimum Risk	Maximum Risk	Interpretation
	Genetic Variant	0.84	0.73	1.00	You have 1 copy of the non-protective variant and 1 copy of the protective variant. Based on this result, your risk to develop asthma is 16% lower (or 0.84 times less likely) than someone with no copies of this protective genetic variant. <i>Having this protective genetic variant lowers your risk of asthma.</i>
	Family History	1.00	1.00	3.70	Based on your family history, you are at a lower risk to develop asthma compared to someone with at least one first degree relative or more than one second degree relative with asthma.
	Smoking Status	1.00	1.00	1.95	Because you are not a smoker, you are at a lower risk to develop asthma compared to current smokers.
	Body Mass Index	1.00	1.00	1.92	Based on your BMI you are at a lower risk of asthma compared to individuals who have a BMI of 25 or higher (overweight or obese).


Asthma

Risk Due To Genetic Variant #1 (rs1837253)

Your Result: 1 copy of the non-protective variant and 1 copy of the protective variant were detected (CT)

Non-Protective Variant = C Protective Variant = T

Chart Color	Your Risk	Minimum Risk	Maximum Risk	Interpretation
	0.84	0.73	1.00	<p>You have 1 copy of the non-protective variant and 1 copy of the protective variant. Based on this result, your risk to develop asthma is 16% lower (or 0.84 times less likely) than someone with no copies of this protective genetic variant.</p> <p><i>Having this protective genetic variant lowers your risk of asthma.</i></p>



Genetic Variant Risk is based on the number of copies of this protective genetic variant.

People with one or two copies of the protective variant are compared to people with no copies of the protective variant to determine relative risk.

A relative risk less than 1.00 indicates a decreased risk.

These results are based on a single study.

Asthma

Risk Due To Family History

You reported that no one in your family has asthma.


Chart Color	Your Risk	Minimum Risk	Maximum Risk	Interpretation
	1.00	1.00	3.70	Based on your family history, you are at a lower risk to develop asthma compared to someone with at least one first degree relative or more than one second degree relative with asthma.

Risk is compared based on family history.

People with first and/or second degree relatives with asthma were compared to people with no family history of asthma or only one second degree relative with asthma to determine relative risk of developing asthma.

First degree relatives include parents, siblings and children. Second degree relatives include aunts, uncles and grandparents.

A relative risk greater than 1.00 indicates an increased risk.



These results are based on a single study.

Asthma

Risk Due To Smoking Status


You reported that you do not smoke.

Chart Color	Your Risk	Minimum Risk	Maximum Risk	Interpretation
	1.00	1.00	1.95	Because you are not a smoker, you are at a lower risk to develop asthma compared to current smokers.

Risk is compared based on smoking habits.

People who are current smokers were compared to people who do not smoke to determine relative risk.

A relative risk of greater than 1.00 indicates an increased risk.



These results are based on a single study.

Asthma

Risk Due To Body Mass Index


According to the height and weight you reported, you are not overweight or obese (BMI <25.0).

Chart Color	Your Risk	Minimum Risk	Maximum Risk	Interpretation
	1.00	1.00	1.92	Based on your BMI you are at a lower risk of asthma compared to individuals who have a BMI of 25 or higher (overweight or obese).

Risk is compared based on **Body Mass Index (BMI)**.
BMI is used to determine if someone is overweight or obese.

People who are overweight (BMI 25-29.9) or obese (BMI ≥ 30) are compared to people who are not overweight (BMI < 25) to determine relative risk.

A relative risk greater than 1.00 indicates an increased risk.



These results are based on multiple studies.

Asthma

In addition to body mass index, smoking status, family history and genetic variants, there are other risk factors for asthma that are not captured by our questionnaires.

The following risk factor may increase your risk of developing asthma:

Allergic rhinitis is a group of symptoms affecting the nose. These symptoms occur when you breathe in something that you are allergic to, such as dust, animal dander, or pollen. Symptoms can also occur when you eat a food that you are allergic to. Symptoms of allergic rhinitis include:

- Itchy nose, mouth, eyes, throat, or skin
- Impaired sense of smell
- Runny nose
- Sneezing
- Watery eyes
- Stuffy nose
- Coughing

People who have been diagnosed with allergic rhinitis are 4.90 times as likely to develop asthma compared to people who have not been diagnosed with allergic rhinitis.

Asthma - Variant #1 (rs1837253)

We all have 2 copies of every gene, one from each of our parents.
Each copy may have small changes called genetic variants.
Some genetic variants are associated with an increased risk of disease.
Some genetic variants are associated with a decreased risk of disease.

This genetic variant is **protective**. Having one or two copies of this variant **lowers** your risk for asthma.

How Common Is This Variant?

Non-Protective Variant = C Protective Variant = T

CC - 49 in 100 people have 2 copies of the non-protective variant

CT - 44 in 100 people have 1 copy of the non-protective variant and 1 copy of the protective variant

TT - 7 in 100 people have 2 copies of the protective variant

This frequency is based on data from an African American population



Gene: TSLP

Chromosome: 5q22.1

Causes


Genetic vs. Non-Genetic Risk Factors

Asthma can be caused by both genetic factors and non-genetic (or environmental) risk factors.

It is estimated that **non-genetic** factors (like obesity and smoking) account for about **49%** of the risk of asthma.

It is estimated that **51%** of the risk for asthma is based on **genetic** risk factors. This estimate accounts for both known and unknown gene variants.


There are many different genetic and non-genetic risk factors that contribute to the risk of asthma. We are only able to tell you about your family history risk, 1 genetic and 2 non-genetic risk factors at this time.



How Common

Age, gender, and ancestry contribute to your risk of asthma.

You reported you are an African American woman, between 35 and 64 years old; an estimated 12 in 100 African American women in your age group have asthma.



Limitations

Asthma

- This result alone does NOT diagnose asthma. Asthma must be diagnosed by your health care provider.
- This result does NOT mean that you have or will absolutely develop asthma.
- This result does NOT mean that you will not develop asthma in the future.
- This result ONLY assesses your risk for developing asthma due to the factors presented in this report and does not mean that other genetic variants or risk factors for asthma are present or absent.
- Personal risk factors, such as age, family history or lifestyle, may have a greater impact on your risk to develop asthma than any individual genetic variant.
- Risk estimates are based on current available literature.
- Although rare, it is possible that you may receive an incorrect result; 100% accuracy of reported results cannot be guaranteed.
- Occasionally there may be a specific variant on a gene chip that is not able to be read or interpreted. In this case you will not receive a result for that variant. It is expected that you will receive results for about 95% of variants approved by the ICOB.
- Relative risks used to estimate risk of disease for CPMC participants are based on groups of people with the same risk or protective factor as the individual CPMC participant. In some cases, the relative risk is estimated based upon an odds ratio and known or assumed disease prevalence.
- Separate risk estimates for each risk or protective factor have been given. Risk or protective factors may be related to each other and risk estimates cannot be combined.
- Risk information for non-genetic factors is based on information you provided in your medical, family, lifestyle questionnaire. If you did not provide answers or if you answered "do not know", risk estimates for some factors may not be available.
- Risk information for non-genetic factors is based on information you provided in your medical, family, lifestyle questionnaire and may not be reflective of your current risk if any of these factors have changed. You will be given the opportunity to update your medical, family and lifestyle questionnaire responses periodically.
- Every effort will be made to provide you with risk information based on your reported race/ethnicity. However, data may not be available for all races/ethnicities for all risk factors. Please see your individual results to determine which race/ethnicity the data given is based on.
- For some risk factors data may be provided by gender. Every effort will be made to provide you with risk information based on your reported gender. However, when risk data is not available for both genders, risk results for the available gender will be provided.

Methods

Asthma

This condition and genetic variant was approved by the Informed Cohort Oversight Board (ICOB)

Test Methodology

Saliva samples were collected using Oragene DNA Collection Kits (DNA Genotek) and DNA was extracted manually according to the manufacturer's instructions. Purified DNA was quantified using UV absorbance at 260 nm. Five hundred nanograms of the resulting DNA from each sample were used as template in the Affymetrix Genome-Wide Human SNP Nsp/Sty 6.0 GeneChip assay. Data analysis was performed using Affymetrix Genotyping Console software.

See [CPMC Technical Paper](#) for genetic variant selection and reporting methodology.

[Risk interpretation based on Coriell's Asthma Risk Algorithm Version 1 (September 5, 2014)]

1. Stack, C. et al (2011). Genetic risk estimation in the Coriell Personalized Medicine Collaborative. *Genet Med.* 13(2):131-139.
2. Torgerson, DG. et al (2011). Meta-analysis of genome-wide association studies of asthma in ethnically diverse North American populations. *Nat Genet* 43(9): 887-892.
3. Beuther, DA. et al (2007). Overweight, Obesity, and Incident Asthma: A Meta-analysis of Prospective Epidemiologic Studies. *Am J Respir. Crit. Care Med.* 175:661-666.
4. Vignoud, L. et al (2011). Smoking and Asthma: Disentangling the mutual influences using a longitudinal approach. *Respir Med* 105(12):1805-1814.
5. Liu, T. et al (2009). The association between family history of asthma and the prevalence of asthma among US adults: National Health and Nutrition Examination Survey, 1999-2004. *Genet Med.* 11(5):323-328.
6. Thomsen, SF. et al (2010). Estimates of asthma heritability in a large twin sample. *Clin Exp Allergy.* 40(7): 1054-1061.
7. Moorman, JE. et al (2012). National Surveillance of Asthma: United States, 2001-2010. National Center for Health Statistics. *Vital Health Stat.* 3(35).
8. van den Nieuwenhof, L. et al (2010). Is physician-diagnosed allergic rhinitis a risk factor for the development of asthma? *Allergy.* 65:1049-1055.
9. United States of America. U.S National Library of Medicine. National Institutes of Health. Allergic Rhinitis. By A.D.A.M. Editorial Board. U.S. National Library of Medicine, 27 May 2013. Web. 10 Sept. 2013. <http://www.ncbi.nlm.nih.gov/pubmedhealth/PMH0001816/>.
10. McVean G.A. et al (2012). An integrated map of genetic variation from 1,092 human genomes. *Nature.* 491; 56-65.

Sample Results



Coriell Institute for Medical Research

Coriell Genotyping and Microarray Center
403 Haddon Avenue Camden, NJ 08103
Phone: 856-966-7377 Fax: 856-964-0254 www.coriell.org

Clinical Report for Asthma Genetic Variant 1 (rs1837253)

Name:	NATALIE DEMO	Sample Type:	Saliva
Race/Ethnicity:	Black or African-American	Gender:	Female
Date of Birth:		Date Collected:	11-30-2016
Coriell ID:	DEMONAT	Date Received:	11-30-2016
Lab Accessioning Number:	DEMONAT	Date of Report:	10-08-2014
Ordering Physician:	Dr. Edward Viner		

Name of Gene/Region: TSLP		Chromosomal Location: 5q22.1
Variants tested	Result	Reference Genotype
rs1837253	CT	CC
Interpretation	Individuals with this result are 16% less likely (or 0.84 times as likely) to develop asthma as someone with no copies of this protective variant. These risk estimates are based on studies involving multiple populations that include individuals with African-American, African-Caribbean, European, and Latin-American ancestry. When race/ethnicity specific risk estimates are not available, risk estimates based on Caucasian populations are provided.	
Other Risks	Other genetic variants and other risk factors including co-morbidities, lifestyle and family history may contribute to the risk of asthma. For additional information on other risk factors please see the accompanying CPMC research report.	

Risk interpretation based on Coriell's Asthma Risk Algorithm Version 1 (September 5, 2014)

Test Limitations

DNA-based testing is highly accurate, however there are many sources of potential error including: mis-identification of samples, rare technical errors, trace contamination of PCR reactions, and rare genetic variants that interfere with analysis. There may be other variants, not included in this test, that influence the risk to develop asthma. This test is not diagnostic for asthma and cannot rule out the risk of developing asthma in the future. Risk estimates are based on current available literature (see reference). This test or one or more of its components was developed and its performance characteristics determined by the Coriell Institute for Medical Research. It has not been approved by the Food and Drug Administration (FDA). The FDA has determined that such approval is not necessary. The Coriell Institute is regulated under the Clinical Laboratory Improvement Amendments (CLIA) of 1988 as qualified to perform high-complexity testing.

Test Methodology

Saliva samples were collected using Oragene DNA Collection Kits (DNA Genotek) and DNA was extracted manually according to the manufacturer's instructions or automatically using a DNAdvance Kit (Agencourt). Purified DNA was quantified using UV absorbance at 260 nm. Five hundred nanograms of the resulting DNA from each sample were used as template in the Affymetrix Genome-Wide Human SNP Nsp/Sty 6.0 GeneChip assay. Data analysis was performed using Affymetrix Genotyping Console software.

Electronically signed by

Marie Hoover, PhD, Laboratory Director

This clinical report only includes data generated in the CLIA approved genotyping laboratory, for additional information please see the CPMC research report.

References

1. Torgerson, DG. et al (2011). Meta-analysis of genome-wide association studies of asthma in ethnically diverse North American populations. Nat Genet 43(9): 887-892.